



[821.67]

32.35

DO NOT USE THIS HOLE FOR LIFTING COMPRESSOR!

	NOZZLE CONNECTIONS	BOLT HOLE SIZE	
N1	8" GAS SUCTION FLANGE (ANSI CLASS 150 FLAT FACE)	8 x 3/4-10	
N2	6" GAS DISCHARGE FLANGE (ANSI CLASS 150 FLAT FACE)	8 x 3/4-10	
W1A	2 NPT(F) WATER INLET (SEE NOTE 2)	N/A	
W1B	2 NPT(F) WATER INLET (SEE NOTE 2)	N/A	
W2	2 NPT(F) WATER OUTLET	N/A	
D1	1/2 NPT DRAIN HOLE	N/A	
D2	1/2 NPT DRAIN HOLE	N/A	

OIL CONNECTION POINTS SUMMARY						
(REFER TO MANUAL FOR FURTHER INFORMATION)						
DESCRIPTION	THREAD SIZE	QTY				
LUBE QUILL(LQx)	1/4 NPT (F)	1				
LUBE POINTS (LPx)	1/4 NPT (F)	8				
SEAL SUPPLY (LBI)	1/2 NPT (F)	1				
SEAL RETURN (LBO)	1/2 NPT (F)	1				

	UNLESS OTHERWISE SPECIFIED:		NAME	DAT	
	DIMENSIONS ARE IN INCHES TOLERANCES: ANGULAR: MACH ±.5 DEG ONE PLACE DECIMAL ±.060 TWO PLACE DECIMAL ±.030	DRAWN	TRF	12/20/2	
		CHECKED	TRF	12/20/2	
		ENG APPR.	TRF	12/20/2	
	THREE PLACE DECIMAL ±.010	PROPRIETARY AND CONFIDENTI			
	INTERPRET GEOMETRIC TOLERANCING PER: ANSI	THE INFORMATION CONTA		AINED IN T	
	MATERIAL	DRAWING IS THE SOLE PROPERTY O			

1:6 4000 LBS. SHEET: 1 OF 1

4. DRAWING IS DUAL DIMENSION. DIMENSIONS WITHOUT BRACKETS ARE IN INCHES DIMENSIONS IN [BRACKETS] ARE IN MILLIMETERS.

5. USE SEAL OIL RETURN PORT (LBO) AS SHOWN IN TOP VIEW.

3. WEIGHT IS APPROXIMATE