











	NOZZLE CONNECTIONS	<b>BOLT HOLE SIZE</b>
N1	4" GAS SUCTION FLANGE (ANSI CLASS 150 FLAT FACE)	8 x 5/8-11
N2	3" GAS DISCHARGE FLANGE (ANSI CLASS 150 FLAT FACE)	4 x 5/8-11
W1A	2 NPT(F) WATER INLET (SEE NOTE 2)	N/A
W1B	1-1/2 NPT(F) WATER INLET (SEE NOTE 2)	N/A
W2	1-1/4 NPT(F) WATER OUTLET	N/A
D1	1/2 NPT (F) DRAIN HOLE	N/A
D2	1/2 NPT (F) DRAIN HOLE	N/A

LUBRICATION OIL CONNECTION						
(REFER TO MANUAL FOR FURTHER INFORMATION)						
DESCRIPTION	THREAD SIZE	QTY				
LUBE QUILL(LQ)	1/4 NPT(F)	1				
LUBE POINTS (LPx)	1/4 NPT(F)	6				

1:4 800 LBS SHEET: 1 OF 1

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	
DIMENSIONS ARE IN INCHES	DRAWN	TRF	2/4/2020	Do-Ele
TOLERANCES:	CHECKED	TRF	2/4/2020	Ro-Flo
ANGULAR: MACH±.5 DEG ONE PLACE DECIMAL ±.060	ENG APPR.	TRF	2/4/2020	COMPRESSORS
TWO PLACE DECIMAL ±.030 THREE PLACE DECIMAL ±.010	PROPRIETARY AND CONFIDENTIAL		ONFIDENTIAL	GENERAL ARRANGEMEN
INTERPRET GEOMETRIC TOLERANCING PER: ANSI	THE INFORM	NATION CONT	AINED IN THIS	SD8DE, CCW, SF
MATERIAL FINISH (UNLESS OTHERWISE NOTED)	DRAWING IS THE SOLE PROPERTY OF RO-FLO COMPRESSORS, LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF		.LC. ANY OR AS A WHOLE RMISSION OF	SIZE PART NO.

- 1. CENTER OF MASS DIMENSIONS ARE APPROXIMATE
- 2. EITHER WATER INLET MAY BE USED, DEPENDING UPON SYSTEM NEEDS
- 3. WEIGHT IS APPROXIMATE
- 4. DRAWING IS DUAL DIMENSIONED. DIMENSIONS ARE IN INCHES, DIMENSIONS IN [BRACKETS] ARE IN MILLIMETERS.